

MALACAÑANG
MANILA

BY THE PRESIDENT OF THE PHILIPPINES

PROCLAMATION NO. 552

ESTABLISHING AS MT. MATUTUM PROTECTED LANDSCAPE THE PARCELS OF LAND OF THE PUBLIC DOMAIN SITUATED WITHIN THE MUNICIPALITIES OF TUPI, TAMPAKAN, AND POLOMOLOK, PROVINCE OF SOUTH COTABATO, AND THE MUNICIPALITY OF MALUNGON, PROVINCE OF SARANGANI

Upon recommendation of the Secretary of Environment and Natural Resources, and pursuant to the powers vested in me by law, I, FIDEL V. RAMOS, President of the Philippines, do hereby withdraw from sale, entry, disposition or settlement and set aside for watershed and ecological enhancement purpose, subject to private rights, if there be any, and to the operations of previous proclamations reserving any portion thereof for specific purposes, the parcel of land of the public domain located within the Municipalities of Tupi, Tampakan, and Polomolok, Province of South Cotabato, and the Municipality of Malungon, Province of Sarangani, more particularly described as follows:

Beginning at a point marked "1" on the map being identical to the junction of Buayan River and Via-an Creek;

thence following Via-an Creek upstream generally in Southwesterly direction of about 260.00 meters straight distance to corner 2;

thence S. 60 deg. 00'W., 270.00 meters to corner 3, identical to corner 8 of Block III, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 41 deg. 00'W., 200.00 meters to corner 4, identical to corner 7 of Block-III, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 12, 1958;

thence S. 31 deg. 00'W., 250.00 meters to corner 5, identical to corner 6 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 22 deg. 00'E., 310.00 meters to corner 6, identical to corner 5 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

IN REPLYING, PLEASE CITE:

PFVR Letter# L950351



L950351

Ja

thence S. 06 deg. 00'E., 280.00 meters to corner 7, identical to corner 4 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 49 deg. 00'E., 160.00 meters to corner 8, identical to corner 3 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 49 deg. 00'E., 90.00 meters to corner 9, identical to corner 1 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 33 deg. 00'E., 270.00 meters to corner 10, identical to corner 22 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 10 deg. 00'E., 340 meters to corner 11, identical to corner 21 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 50 deg. 00'E., 200.00 meters to corner 12, identical to corner 20 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 89 deg. 00'E., 240.00 meters to corner 13, identical to corner 19 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 68 deg. 00'E., 270.00 meters to corner 14, identical to corner 18 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 54 deg. 00'E., 300.00 meters to corner 15, identical to corner 17 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 11 deg. 00'E., 160.00 meters to corner 16, identical to corner 16 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

JS

thence S. 31 deg. 00'E., 280.00 meters to corner 17, identical to corner 15 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence following Sumlaang Creek downstream generally in Southeasterly direction of about 480.00 meters straight distance to corner 18, identical to corner 14 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence following Sumlaang Creek downstream generally in Southeasterly direction of about 660.00 meters straight distance to corner 19, identical to corner 13 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 17 deg. 00'W., 360.00 meters to corner 20, identical to corner 12 of Block-II, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 24 deg. 00'E., 370.00 meters to corner 21, a point on the ground;

thence S. 29 deg. 00'E., 275.00 meters to corner 22, a point on the ground;

thence S. 06 deg. 00'E., 260.00 meters to corner 23, a point on the ground;

thence S. 02 deg. 00'W., 300.00 meters to corner 24, a point on the ground;

thence S. 42 deg. 00'E., 280.00 meters to corner 25, a point on the ground;

thence S. 49 deg. 00'E., 240.00 meters to corner 26, a point on the ground;

thence S. 57 deg. 00'E., 300.00 meters to corner 27, a point on the ground;

thence S. 37 deg. 00'E., 300.00 meters to corner 28, a point on the ground;

thence S. 24 deg. 00'E., 280.00 meters to corner 29, a point on the ground;

gla

thence S. 05 deg. 00'E., 270.00 meters to corner 30, a point on the ground;

thence S. 18 deg. 00'W., 3,600.00 meters to corner 31, a point on the ground;

thence following a trail generally in Southwesterly direction of about 100.00 meters straight distance to corner 32, identical to corner 141 of Timberland Block, Project No. 47-D, L.C. Map 1967, certified on February 11, 1956;

thence following a trail generally in Southwesterly direction of about 350.00 meters straight distance to corner 33, identical to corner 140 of Timberland Block, Project No. 47-D, L.C. Map 1967, certified on February 11, 1956;

thence following a trail generally in Southwesterly direction of about 280.00 meters straight distance to corner 34, identical to corner 139 of Timberland Block, Project No. 47-D, L.C. Map 1967, certified on February 11, 1956;

thence following a trail generally in Southwesterly direction of about 450.00 meters straight distance to corner 35, identical to corner 138 of Timberland Block, Project No. 47-D, L.C. Map 1967, certified on February 11, 1956;

thence S. 42 deg. 00'E., 220.00 meters to corner 36, identical to corner 137 of Timberland Block, Project No. 47-D, L.C. Map 1967, certified on February 11, 1956;

thence S. 05 deg. 00'W., 200.00 meters to corner 37, identical to corner 136 of Timberland Block of Project No. 47-D, L.C. Map 1967, certified on February 11, 1956; identical to corner 57 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 06 deg. 00'W., 230.00 meters to corner 38, identical to corner 56 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 20 deg. 00'W., 340.00 meters to corner 39, identical to corner 55 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 80 deg. 00'W., 220.00 meters to corner 40, identical to corner 54 of Block-I, Alienable or Disposable,

JA

Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 85 deg. 00'W., 250.00 meters to corner 41, identical to corner 53 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 55 deg. 00'W., 400.00 meters to corner 42, identical to corner 52 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence following Sogoc Creek downstream generally in Southeasterly direction of about 400.00 meters straight distance to corner 43, identical to corner 51 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958, South bank of Sogoc Creek;

thence S. 14 deg. 00'W., 430.00 meters to corner 44, identical to corner 50 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 56 deg. 00'W., 120.00 meters to corner 45, identical to corner 49 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 55 deg. 00'W., 140.00 meters to corner 46, identical to corner 48 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 58 deg. 00'W., 290.00 meters to corner 47, identical to corner 47 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 10 deg. 00'W., 320.00 meters to corner 48, identical to corner 46 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 44 deg. 00'W., 300.00 meters to corner 49, identical to corner 45 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

JA

thence S. 43 deg. 00'W., 440.00 meters to corner 50, identical to corner 44 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 43 deg. 00'W., 280.00 meters to corner 51, identical to corner 43 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 08 deg. 00'W., 175.00 meters to corner 52, identical to corner 42 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 50 deg. 00'W., 240.00 meters to corner 53, identical to corner 41 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 24 deg. 00'W., 330.00 meters to corner 54, identical to corner 40 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence following Kawit Creek upstream in generally Northwesterly direction of about 400.00 meters straight distance to corner 55, identical to corner 39 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 15 deg. 00'E., 170.00 meters to corner 56, identical to corner 38 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 01 deg. 00'E., 260.00 meters to corner 57, identical to corner 37 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 21 deg. 00'W., 280.00 meters to corner 58, identical to corner 36 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 03 deg. 00'W., 290.00 meters to corner 59, identical to corner 35 of Block-I, Alienable or Disposable,

Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 69 deg. 00'W., 140.00 meters to corner 60, identical to corner 34 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 74 deg. 00'W., 180.00 meters to corner 61, identical to corner 33 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 88 deg. 00'W., 280.00 meters to corner 62, identical to corner 32 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 70 deg. 00'W., 260.00 meters to corner 63, identical to corner 31 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 73 deg. 00'W., 260.00 meters to corner 64, identical to corner 30 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 68 deg. 00'W., 240.00 meters to corner 65, identical to corner 29 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 75 deg. 00'W., 190.00 meters to corner 66, identical to corner 28 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 77 deg. 00'W., 105.00 meters to corner 67, identical to corner 27 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 78 deg. 00'W., 120.00 meters to corner 68, identical to corner 26 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

JH

thence N. 31 deg. 00'W., 200.00 meters to corner 69,
identical to corner 25 of Block-I, Alienable or Disposable,
Project No. 47-J, L.C. Map 2196, certified on April 29,
1958;

thence N. 25 deg. 00'W., 140.00 meters to corner 70,
identical to corner 24 of Block-I, Alienable or Disposable,
Project No. 47-J, L.C. Map 2196, certified on April 29,
1958;

thence N. 19 deg. 00'W., 190.00 meters to corner 71,
identical to corner 23 of Block-I, Alienable or Disposable,
Project No. 47-J, L.C. Map 2196, certified on April 29,
1958;

thence N. 09 deg. 00'W., 160.00 meters to corner 72,
identical to corner 22 of Block-I, Alienable or Disposable,
Project No. 47-J, L.C. Map 2196, certified on April 29,
1958;

thence N. 08 deg. 00'E., 105.00 meters to corner 73,
identical to corner 21 of Block-I, Alienable or Disposable,
Project No. 47-J, L.C. Map 2196, certified on April 29,
1958;

thence N. 21 deg. 00'W., 100.00 meters to corner 74,
identical to corner 20 of Block-I, Alienable or Disposable,
Project No. 47-J, L.C. Map 2196, certified on April 29,
1958;

thence N. 80 deg. 00'W., 420.00 meters to corner 75,
identical to corner 19 of Block-I, Alienable or Disposable,
Project No. 47-J, L.C. Map 2196, certified on April 29,
1958;

thence N. 67 deg. 00'W., 340.00 meters to corner 76,
identical to corner 18 of Block-I, Alienable or Disposable,
Project No. 47-J, L.C. Map 2196, certified on April 29,
1958;

thence S. 19 deg. 00'W., 260.00 meters to corner 77,
identical to corner 17 of Block-I, Alienable or Disposable,
Project No. 47-J, L.C. Map 2196, certified on April 29,
1958;

thence S. 25 deg. 00'W., 260.00 meters to corner 78,
identical to corner 16 of Block-I, Alienable or Disposable,

Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 27 deg. 00'W., 225.00 meters to corner 79, identical to corner 15 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 78 deg. 00'W., 250.00 meters to corner 80, identical to corner 14 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 45 deg. 00'W., 280.00 meters to corner 81, identical to corner 13 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence following Lanabo Creek upstream generally in Northwesterly direction of about 520.00 meters straight distance to corner 82, identical to corner 12 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 74 deg. 00'W., 340.00 meters to corner 83, identical to corner 11 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 55 deg. 00'W., 230.00 meters to corner 84, identical to corner 10 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 70 deg. 00'W., 590.00 meters to corner 85, identical to corner 9 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 23 deg. 00'W., 480.00 meters to corner 86, identical to corner 8 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 19 deg. 00'E., 230.00 meters to corner 87, identical to corner 7 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

JA

thence N. 77 deg. 00'W., 300.00 meters to corner 88, identical to corner 6 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 73 deg. 00'W., 320.00 meters to corner 89, identical to corner 5 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 55 deg. 00'W., 550.00 meters to corner 90, identical to corner 4 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 15 deg. 00'E., 280.00 meters to corner 91, identical to corner 3 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence S. 16 deg. 00'W., 280.00 meters to corner 92, identical to corner 2 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958;

thence N. 76 deg. 00'W., 250.00 meters to corner 93, identical to corner 1 of Block-I, Alienable or Disposable, Project No. 47-J, L.C. Map 2196, certified on April 29, 1958, identical to corner 16, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 72 deg. 00'W., 250.00 meters to corner 94, identical to corner 15, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 56 deg. 00'W., 200.00 meters to corner 95, identical to corner 14, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 48 deg. 00'W., 240.00 meters to corner 96, identical to corner 13, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence S. 82 deg. 00'W., 230.00 meters to corner 97, identical to corner 12, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

fa

thence S. 20 deg. 00'W., 250.00 meters to corner 98, identical to corner 11, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence S. 41 deg. 00'W., 380.00 meters to corner 99, identical to corner 10, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 87 deg. 00'W., 330.00 meters to corner 100, identical to corner 9, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence S. 87 deg. 00'W., 500.00 meters to corner 101, identical to corner 8, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 12 deg. 00'W., 300.00 meters to corner 102, identical to corner 7, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 40 deg. 00'W., 380.00 meters to corner 103, identical to corner 6, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 69 deg. 00'E., 280.00 meters to corner 104, identical to corner 5, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 53 deg. 00'E., 260.00 meters to corner 105, identical to corner 4, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 43 deg. 00'W., 220.00 meters to corner 106, identical to corner 3, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 69 deg. 00'W., 280.00 meters to corner 107, identical to corner 2, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 78 deg. 00'W., 105.00 meters to corner 108, identical to corner 1, Alienable or Disposable, Project No. 47-E, L.C. Map 1905;

thence N. 78 deg. 00'W., 80.00 meters to corner 109, identical to corner 22, of Block-III, Alienable or Disposable, Project No. 40, L.C. Map 1905;



thence S. 80 deg. 00'W., 200.00 meters to corner 110, identical to corner 21, of Block III, Alienable or Disposable, Project No. 40, L.C. Map 1905;

thence N. 40 deg. 00'W., 560.00 meters to corner 111, identical to corner 20, of Block-III, Alienable or Disposable, Project No. 40, L.C. Map 1905;

thence N. 54 deg. 00'W., 500.00 meters to corner 112, identical to corner 19, of Block-III, Alienable or Disposable, Project No. 40, L.C. Map 1905;

thence N. 02 deg. 00'W., 560.00 meters to corner 113, identical to corner 18, of Block-III, Alienable or Disposable, Project No. 40, L.C. Map 1905;

thence N. 21 deg. 00'E., 360.00 meters to corner 114, identical to corner 17, of Block-III, Alienable or Disposable, Project No. 40, L.C. Map 1905;

thence N. 14 deg. 00'W., 230.00 meters to corner 115, identical to corner 16, of Block-III, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 56 deg. 00'W., 220.00 meters to corner 116, identical to corner 23 of Block I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 29 deg. 00'W., 140.00 meters to corner 117, identical to corner 22 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 78 deg. 00'W., 340.00 meters to corner 118, identical to corner 21 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 68 deg. 00'W., 300.00 meters to corner 119, identical to corner 20 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 50 deg. 00'W., 300.00 meters to corner 120, identical to corner 19 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;



thence N. 28 deg. 00'W., 170.00 meters to corner 121, identical to corner 18 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence S. 77 deg. 00'W., 250.00 meters to corner 122, identical to corner 17 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 75 deg. 00'W., 450.00 meters to corner 123, identical to corner 16 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 78 deg. 00'W., 260.00 meters to corner 124, identical to corner 15 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 13 deg. 00'W., 335.00 meters to corner 125, identical to corner 14 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence S. 80 deg. 00'W., 270.00 meters to corner 126, identical to corner 13 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 77 deg. 00'W., 440.00 meters to corner 127, identical to corner 12 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence following Akmunan Creek downstream generally in Northwesterly direction of about 340.00 meters to corner 128, identical to corner 11 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 50 deg. 00'W., 920.00 meters to corner 129, identical to corner 10 of Block-I, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958; identical to corner 7 of Block-III, Alienable or Disposable, Project No. 40, L.C. Map 1905;

thence N. 85 deg. 00'E., 400.00 meters to corner 130, identical to corner 6 of Block-III, Alienable or Disposable,

JA

Project No. 40, L.C. Map 1905; identical to corner 165, Alienable or Disposable, Project No. 44-C, L.C. 1403;

thence N. 57 deg. 00'E., 320.00 meters to corner 131, identical to corner 164, Alienable or Disposable, Project No. 44-C, L.C. 1403;

thence N. 50 deg. 00'E., 360.00 meters to corner 132, identical to corner 163, Alienable or Disposable, Project No. 44-C, L.C. 1403;

thence N. 56 deg. 00'E., 290.00 meters to corner 133, identical to corner 162, Alienable or Disposable, Project No. 44-C, L.C. 1403, identical to corner 1 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 46 deg. 00'E., 300.00 meters to corner 134, identical to corner 48 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 75 deg. 00'W., 120.00 meters to corner 135, identical to corner 47 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 12 deg. 00'W., 190.00 meters to corner 136, identical to corner 46 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 40 deg. 00'W., 260.00 meters to corner 137, identical to corner 45 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 39 deg. 00'W., 390.00 meters to corner 138, identical to corner 44 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 76 deg. 00'W., 470.00 meters to corner 139, identical to corner 43 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 68 deg. 00'W., 170.00 meters to corner 140, identical to corner 42 of Block-II, Alienable or Disposable,

Ja

Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 38 deg. 00'E., 160.00 meters to corner 141, identical to corner 41 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 53 deg. 00'E., 180.00 meters to corner 142, identical to corner 40 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 30 deg. 00'W., 275.00 meters to corner 143, identical to corner 39 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 39 deg. 00'W., 180.00 meters to corner 144, identical to corner 38 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 60 deg. 00'E., 260.00 meters to corner 145, identical to corner 37 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 76 deg. 00'E., 210.00 meters to corner 146, identical to corner 36 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 02 deg. 00'W., 270.00 meters to corner 147, identical to corner 35 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 78 deg. 00'E., 240.00 meters to corner 148, identical to corner 34 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence S. 83 deg. 00'E., 340.00 meters to corner 149, identical to corner 33 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

JA

thence N. 69 deg. 00'E., 240.00 meters to corner 150, identical to corner 32 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 70 deg. 00'E., 150.00 meters to corner 151, identical to corner 31 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence S. 67 deg. 00'E., 240.00 meters to corner 152, identical to corner 30 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 73 deg. 00'E., 220.00 meters to corner 153, identical to corner 29 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 05 deg. 00'W., 420.00 meters to corner 154, identical to corner 28 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence S. 61 deg. 00'W., 250.00 meters to corner 155, identical to corner 27 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence S. 87 deg. 00'W., 210.00 meters to corner 156, identical to corner 26 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 70 deg. 00'W., 225.00 meters to corner 157, identical to corner 25 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence S. 44 deg. 00'W., 220.00 meters to corner 158, identical to corner 24 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence S. 74 deg. 00'W., 210.00 meters to corner 159, identical to corner 23 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

ja

thence S. 87 deg. 00'W., 200.00 meters to corner 160, identical to corner 22 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 08 deg. 00'W., 320.00 meters to corner 161, identical to corner 21 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 30 deg. 00'E., 120.00 meters to corner 162, identical to corner 20 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence Due North, 195.00 meters to corner 163, identical to corner 19 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 29 deg. 00'E., 360.00 meters to corner 164, identical to corner 18 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 69 deg. 00'E., 240.00 meters to corner 165, identical to corner 17 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence S. 80 deg. 00'E., 420.00 meters to corner 166, identical to corner 16 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 43 deg. 00'W., 250.00 meters to corner 167, identical to corner 15 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 55 deg. 00'W., 140.00 meters to corner 168, identical to corner 14 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;

thence N. 63 deg. 00'E., 270.00 meters to corner 169, identical to corner 13 of Block-II, Alienable or Disposable, Project No. 40-B, L.C. Map 2196, certified on April 29, 1958;



thence N. 45 deg. 00'E., 160.00 meters to corner 170, a point on the ground;

thence N. 37 deg. 00'E., 220.00 meters to corner 171, a point on the ground;

thence N. 30 deg. 00'E., 330.00 meters to corner 172, a point on the ground;

thence N. 24 deg. 00'E., 230.00 meters to corner 173, a point on the ground;

thence N. 58 deg. 00'E., 400.00 meters to corner 174, a point on the ground;

thence N. 80 deg. 00'E., 280.00 meters to corner 175, a point on the ground;

thence N. 64 deg. 00'E., 310.00 meters to corner 176, a point on the ground;

thence N. 33 deg. 00'E., 220.00 meters to corner 177, a point on the ground;

thence S. 89 deg. 00'E., 440.00 meters to corner 178, a point on the ground;

thence N. 87 deg. 00'E., 230.00 meters to corner 179, a point on the ground;

thence N. 82 deg. 00'E., 210.00 meters to corner 180, a point on the ground;

thence N. 70 deg. 00'E., 290.00 meters to corner 181, a point on the ground;

thence N. 59 deg. 00'E., 200.00 meters to corner 182, a point on the ground;

thence N. 30 deg. 00'E., 250.00 meters to corner 183, a point on the ground;

thence N. 21 deg. 00'E., 460.00 meters to corner 184, a point on the ground;

thence N. 21 deg. 00'E., 220.00 meters to corner 185, a point on the ground;

JA

thence S. 75 deg. 00'E., 180.00 meters to corner 186, a point on the ground;

thence S. 57 deg. 00'E., 190.00 meters to corner 187, a point on the ground;

thence S. 89 deg. 00'E., 220.00 meters to corner 188, a point on the ground;

thence N. 84 deg. 00'E., 350.00 meters to corner 189, a point on the ground;

thence S. 89 deg. 00'E., 310.00 meters to corner 190, a point on the ground;

thence S. 82 deg. 00'E., 260.00 meters to corner 191, a point on the ground;

thence S. 73 deg. 00'E., 250.00 meters to corner 192, a point on the ground;

thence N. 69 deg. 00'E., 200.00 meters to corner 193, a point on the ground;

thence N. 45 deg. 00'E., 200.00 meters to corner 194, a point on the ground;

thence N. 08 deg. 00'E., 400.00 meters to corner 195, a point on the ground;

thence Due East, 130.00 meters to corner 196, a point on the ground;

thence N. 24 deg. 00'W., 380.00 meters to corner 197, a point on the ground;

thence N. 24 deg. 00'E., 260.00 meters to corner 198, a point on the ground;

thence N. 83 deg. 00'E., 190.00 meters to corner 199, a point on the ground;

thence N. 59 deg. 00'E., 150.00 meters to corner 200, a point on the ground;

thence N. 38 deg. 00'E., 300.00 meters to corner 201, a point on the ground;

thence N. 51 deg. 00'E., 280.00 meters to corner 202, a point on the ground;

thence N. 40 deg. 00'E., 170.00 meters to corner 203, a point on the ground;

thence N. 40 deg. 00'E., 190.00 meters to corner 204, a point on the ground;

thence S. 85 deg. 00'E., 250.00 meters to corner 205, a point on the ground;

thence N. 57 deg. 00'E., 200.00 meters to corner 206, a point on the ground;

thence S. 45 deg. 00'E., 250.00 meters to corner 207, a point on the ground;

thence S. 80 deg. 00'E., 280.00 meters to corner 208, a point on the ground;

thence S. 55 deg. 00'E., 250.00 meters to corner 209, a point on the ground;

thence Due South, 270.00 meters to corner 210, a point on the ground;

thence S. 49 deg. 00'E., 270.00 meters to corner 211, a point on the ground;

thence S. 49 deg. 00'E., 255.00 meters to corner 212, a point on the ground;

thence N. 43 deg. 00'E., 250.00 meters to corner 213, a point on the ground;

thence N. 49 deg. 00'E., 180.00 meters to corner 214, a point on the ground;

thence following Taplan Creek upstream generally in Northeasterly direction of about 460.00 meters straight distance to corner 215, East bank of Taplan Creek;

thence following Taplan Creek upstream generally in Northeasterly direction of about 570.00 meters to corner 216, East bank of Taplan Creek;

thence N. 41 deg. 00'E., 150.00 meters to corner 217, a point on the ground;

Ja

thence S. 30 deg. 00'E., 390.00 meters to corner 218, a point on the ground;

thence N. 88 deg. 00'E., 185.00 meters to corner 219, a point on the ground;

thence S. 76 deg. 00'E., 240.00 meters to corner 220, a point on the ground;

thence N. 87 deg. 00'E., 220.00 meters to corner 221, a point on the ground;

thence S. 60 deg. 00'E., 215.00 meters to corner 222, a point on the ground;

thence S. 42 deg. 00'E., 220.00 meters to corner 223, a point on the ground;

thence N. 59 deg. 00'E., 250.00 meters to corner 224, a point on the ground;

thence S. 27 deg. 00'E., 260.00 meters to corner 225, a point on the ground;

thence S. 02 deg. 00'E., 240.00 meters to corner 226, a point on the ground;

thence S. 51 deg. 00'E., 210.00 meters to corner 227, a point on the ground;

thence S. 42 deg. 00'E., 260.00 meters to corner 228, a point on the ground;

thence S. 41 deg. 00'E., 240.00 meters to corner 229, a point on the ground;

thence following Buayan River downstream generally in Southeasterly direction of about 580.00 meters straight distance to the point of the beginning, containing an area of 15,600 hectares as a protected area.

The said area shall be known as "Mt. Matutum Protected Landscape" and shall be under the administration and control of the Department of Environment and Natural Resources in coordination with the local government units pursuant to Republic Act No. 7586 (NIPAS Act of 1992).

The area is established and reserved for the purpose of protecting and conserving the diverse biological resources



of the area. Sustainable development of the area shall be pursued to address the social and economic needs of the local communities without causing adverse impact on the environment.

The destruction of the natural resources of the area or the conduct of other activities which could disturb or destroy the ecosystem and the resources found therein are hereby prohibited.

IN WITNESS WHEREOF, I have hereunto set my hand and caused the seal of the Republic of the Philippines to be affixed.

Done in the City of Manila, this ^{20th} ~~15th~~ day of March, in the year of Our Lord, nineteen hundred and ninety five.



By the President:



TEODORO T. GUINGONA, JR.
Executive Secretary

