MALACAÑANG Manila

PMS LIBRARY

BY THE PRESIDENT OF THE PHILIPPINES

PROCLAMATION NO. 354

DECLARING MOUNT TIMOLAN SITUATED IN THE MUNICIPALITIES OF SAN MIGUEL, GUIPOS AND TIGBAO, PROVINCE OF ZAMBOANGA DEL SUR AS PROTECTED AREA AND ITS PERIPHERAL AREAS AS BUFFER ZONE PURSUANT TO REPUBLIC ACT NO 7586 (NIPAS ACT OF 1992), AND SHALL BE KNOWN AS MOUNT TIMOLAN PROTECTED LANDSCAPE

Upon recommendation of the Secretary of Environment and Natural Resources (DENR) and pursuant to the powers vested in me by law, I, **JOSEPH EJERCITO ESTRADA**, President of the Philippines, do hereby set aside and declare Mount Timolan situated in the Municipalities of San Miguel, Guipos and Tigbao, Province of Zamboanga del Sur as protected area and its peripheral areas as Buffer Zone, subject to prior valid private rights, if any there be, as described in the DENR NIPAS Map No.

TECHNICAL DESCRIPTIONS

The Mount Timolan Protected Landscapes begins at a point marked "1" on the map which is S 29⁰44'W at 5,352.12 meters from BLLM No. 1, PLS-18;

Thence	N 56 ⁰ 32'E	514.40 meters to corner 2;
Thence	N 46 ⁰ 35'E	68.20 meters to corner 3;
Thence	N 58 ⁰ 14'E	99.40 meters to corner 4;
Thence	N 16 ⁰ 15'E	276.90 meters to corner 5;
Thence	N 55 ⁰ 09'E	35.70 meters to corner 6;
Thence	N 42 ⁰ 30'E	92.00 meters to corner 7;
Thence	N 71 ⁰ 08'E	129.90 meters to corner 8;
Thence	N 38 ⁰ 07'E	178.80 meters to corner 9;
Thence	N 62 ⁰ 13'E	122.80 meters to corner 10;
Thence	N 67 ⁰ 08'E	107.90 meters to corner 11;







Thence	N 57 ⁰ 08'E	137.60 meters to corner 12;
Thence	N 59 ⁰ 16'E	91.30 meters to corner 13;
Thence	S 87 ⁰ 11'E	79.60 meters to corner 14;
Thence	N 45 ⁰ 10'E	119.10 meters to corner 15;
Thence	N 82 ⁰ 17'E	243.00 meters to corner 16;
Thence	N 11 ⁰ 05'W	97.10 meters to corner 17;
Thence	N 04 ⁰ 35'E	87.80 meters to corner 18;
Thence	N 59 ⁰ 14'W	84.00 meters to corner 19;
Thence	N 74 ⁰ 21'W	60.50 meters to corner 20;
Thence	N 04 ⁰ 18'W	69.80 meters to corner 21;
Thence	N 39 ⁰ 23'W	. 94.90 meters to corner 22;
Thence	N 58 ⁰ 15'W	86.70 meters to corner 23;
Thence	N 01 ⁰ 19'W	93.00 meters to corner 24;
Thence	N 28 ⁰ 13'W	92.60 meters to corner 25;
Thence	N 32 ⁰ 30'E	42.10 meters to corner 26;
Thence	N 80 ⁰ 05'E	270.10 meters to corner 27;
Thence	N 86 ⁰ 01'E	1,026.40 meters to corner 28;
Thence	S 75 ⁰ 32'E	120.90 meters to corner 29;
Thence	S 24 ⁰ 27'E	101.40 meters to corner 30;
Thence	S 82 ⁰ 15'E	244.70 meters to corner 31;
Thence	N 56 ⁰ 12'E	544.60 meters to corner 32;
Thence	N 81°16'E	649.20 meters to corner 33;
Thence	S 17 ⁰ 03'E	225.10 meters to corner 34;







Thence	S 28 ⁰ 00'E	639.80 meters to corner 35;
Thence	S 09 ⁰ 08'E	324.30 meters to corner 36;
Thence	S 01 ⁰ 00'W	238.40 meters to corner 37;
Thence	S 05 ⁰ 04'W	514.20 meters to corner 38;
Thence	S 28 ⁰ 31'E	791.70 meters to corner 39;
Thence	S 03 ⁰ 15'W	213.00 meters to corner 40;
Thence	S 26 ⁰ 06'W	897.70 meters to corner 41;
Thence	S 74 ⁰ 14'W	569.80 meters to corner 42;
Thence	S 47 ⁰ 15'W	283.90 meters to corner 43;
Thence	N 63 ⁰ 16'W	521.10 meters to corner 44;
Thence	N 54 ⁰ 14'W	. 33.40 meters to corner 45;
Thence	S 00 ⁰ 11'W	1,683.60 meters to corner 46;
Thence	S 30 ⁰ 08'W	882.30 meters to corner 47;
Thence	S 13 ⁰ 10'W	1,613.50 meters to corner 48;
Thence	S 09 ⁰ 18'W	690.20 meters to corner 49;
Thence	N 57 ⁰ 12'W	639.40 meters to corner 50;
Thence	N 76 ⁰ 20'W	971.10 meters to corner 51;
Thence	N 24 ⁰ 12'W	1,815.10 meters to corner 52;
Thence	N 12 ⁰ 07'E	505.40 meters to corner 53;
Thence	S 73 ⁰ 14'E	1,204.80 meters to corner 54;
Thence	N 01 ⁰ 07'W	952.40 meters to corner 55;
Thence	N 62 ⁰ 36'E	739.60 meters to corner 56;
Thence	N 89 ⁰ 11'E	405.80 meters to corner 57;





Thence	N 02 ⁰ 18'E	1,357.80 meters to corner 5	8;
Thence	N 75°27'W	983.60 meters to corner 5	9;
Thence	N 76 ⁰ 21'W	1,225.10 meters to corner 60	0;
Thence	N 37 ⁰ 24'W	669.20 meters to corner 1:	:

the point of beginning containing an area of ONE THOUSAND NINE HUNDRED NINETY FOUR AND POINT SEVEN HUNDRED NINETY SIX (1,994.796) Hectares, more or less.

The Buffer Zone begins at a point marked "1" on the map which is S₂ 25⁰23'W at 5,771.91 meters from BLLM No. 1, PLS-18;

Thence	N 37 ⁰ 39'W.	669.03 meters to corner 2;
Thence	N 81°20'E.	448.78 meters to corner 3;
Thomas	N 2002215	
Thence	N 29 ⁰ 33'E.	715.60 meters to corner 4;
Thence	N 55 ⁰ 51'E.	1,161.63 meters to corner 5;
Thence	N 38 ⁰ 55'W.	348.58 meters to corner 6;
Thence	N 12 ⁰ 42'E.	437.75 meters to corner 7;
Thence	N 78 ⁰ 06'E.	431.19 meters to corner 8;
Thence	N 86 ⁰ 07'E.	1,020.38 meters to corner 9;
Thence	S 79 ⁰ 01'E.	845.45 meters to corner 10;
Thence	S 56 ⁰ 12'W.	544.07 meters to corner 11;
Thence	N 82 ⁰ 15'W.	244.80 meters to corner 12;
Thence	N 24 ⁰ 28'W.	101.04 meters to corner 13;
Thence	N 75 ⁰ 33'W.	120.90 meters to corner 14;
Thence	S 86 ⁰ 01'W.	1,026.70 meters to corner 15;
Thence	S 80 ⁰ 05'W.	270.20 meters to corner 16;
Thence	S 32 ⁰ 30'W.	42.10 meters to corner 17;







Thence	S 18 ⁰ 12'E.	92.60 meters to corner 18;
Thence	S 01°19'E.	93.00 meters to corner 19;
Thence	S 58 ⁰ 14'E.	86.70 meters to corner 20;
Thence	S 39 ⁰ 22'E.	95.00 meters to corner 21;
Thence	S 04 ⁰ 18'E.	69.80 meters to corner 22;
Thence	S 74°20'E.	60.50 meters to corner 23;
Thence	S 59 ⁰ 13'E.	84.00 meters to corner 24;
Thence	S 04 ⁰ 35'W.	87.80 meters to corner 25;
Thence	S 11 ⁰ 04'E.	97.10 meters to corner 26;
Thence	S 82 ⁰ 17'W.	243.10 meters to corner 27;
Thence	S 45 ⁰ 10'W.	. 119.10 meters to corner 28;
Thence	N 87 ⁰ 11'W.	79.60 meters to corner 29;
Thence	S 59 ⁰ 15'W.	91.40 meters to corner 30;
Thence	S 57 ⁰ 08'W.	137.70 meters to corner 31;
Thence	S 67 ⁰ 08'W.	107.70 meters to corner 32;
Thence	S 62 ⁰ 12'W.	122.90 meters to corner 33;
Thence	S 38 ⁰ 07'W.	178.80 meters to corner 34;
Thence	S 71°08'W.	132.00 meters to corner 35;
Thence	S 42 ⁰ 29'W.	92.10 meters to corner 36;
Thence	S 55 ⁰ 09'W.	35.70 meters to corner 37;
Thence	S 16 ⁰ 14'W.	277.0 meters to corner 38;
Thence	S 58 ⁰ 14'W.	99.50 meters to corner 39;
Thence	S. 46 ⁰ 35'W.	68.20 meters to corner 40;





Thence	S 56 ⁰ 32'W.	514.50 meters to corner 41;
Thence	S 37 ⁰ 23'E.	669.30 meters to corner 42;
Thence	S 76 ⁰ 20'E.	1,224.90 meters to corner 43;
Thence	S 75°27'E.	983.40 meters to corner 44;
Thence	S 02 ⁰ 17'W.	1,358.30 meters to corner 45;
Thence	S 89 ⁰ 11'W.	405.90 meters to corner 46;
Thence	S 62 ⁰ 36'W.	739.80 meters to corner 47;
Thence	S 01°07'E.	952.80 meters to corner 48;
Thence	N 73 ⁰ 14'W.	1,205.10 meters to corner 49;
Thence	S 12 ⁰ 07'W.	505.60 meters to corner 50;
Thence	S 24 ⁰ 11'E.	.1,815.60 meters to corner 51;
Thence	S 76 ⁰ 19'E.	970.90 meters to corner 52;
Thence	S 57 ⁰ 11'E.	639.40 meters to corner 53;
Thence	N 09 ⁰ 18'E.	669.90 meters to corner 54;
Thence	N 13 ⁰ 10'E.	1,612.90 meters to corner 55;
Thence	N 30 ⁰ 09'E.	882.00 meters to corner 56;
Thence	N 00 ⁰ 11'E.	1,683.00 meters to corner 57;
Thence	S 54 ⁰ 14'E.	33.40 meters to corner 58;
Thence	S 63 ⁰ 16'E.	521.10 meters to corner 59;
Thence	N 47 ⁰ 15'E.	283.80 meters to corner 60;
Thence	N 74 ⁰ 14'E.	569.70 meters to corner 61;
Thence	N 26 ⁰ 06'E.	897.40 meters to corner 62;
Thence	N 03 ⁰ 15'E.	213.00 meters to corner 63;







Thence	N 28 ⁰ 32'W.	791.50 meters to corner 64;
Thence	N 05 ⁰ 04'E.	514.00 meters to corner 65;
Thence	N 01 ⁰ 00'E.	238.80 meters to corner 66;
Thence	N 09 ⁰ 09'W.	324.10 meters to corner 67;
Thence	N 48 ⁰ 24'E.	187.74 meters to corner 68;
Thence	S 15 ⁰ 01'E.	461.75 meters to corner 69;
Thence	S 08 ⁰ 39'E.	457.09 meters to corner 70;
Thence	S 21°50'E.	958.11 meters to corner 71;
Thence	S 03 ⁰ 04'W.	372.01 meters to corner 72;
Thence	S 25 ⁰ 34'W.	893.10 meters to corner 73;
Thence	S 62 ⁰ 35'W.	1,065.59 meters to corner 74;
Thence	S 87 ⁰ 32'W.	324.99 meters to corner 75;
Thence	S 02 ⁰ 58'W.	1,225.01 meters to corner 76;
Thence	S 29 ⁰ 05'W.	898.34 meters to corner 77;
Thence	S 13 ⁰ 07'W.	2,571.13 meters to corner 78;
Thence	N 67 ⁰ 07'W.	2,151.05 meters to corner 79;
Thence	N 22 ⁰ 16'W.	1,979.41 meters to corner 80;
Thence	N 13 ⁰ 42'E.	923.79 meters to corner 81;
Thence	S 72 ⁰ 41'E.	1,080.89 meters to corner 82;
Thence	N 01 ⁰ 00'W.	720.00 meters to corner 83;
Thence	N 64 ⁰ 36'E.	1,211.90 meters to corner 84;
Thence	N 03 ⁰ 00'E.	730.00 meters to corner 85;
Thence	N 70 ⁰ 05'W.	2,183.78 meters to corner 1;







the point of beginning containing an area of SIX HUNDRED NINETY FIVE AND POINT THREE HUNDRED NINETY THREE (695.393) Hectares, more or less.

The technical descriptions of Mount Timolan Protected Landscape and Buffer Zone shall be subject for ground verification survey.

These areas shall be under the administrative jurisdiction of the Department of Environment and Natural Resources (DENR) and shall be administered pursuant with the provisions of the NIPAS Act of 1992, and its implementing rules and regulation.

IN WITNESS WHEREOF, I have hereunto set my hand and caused the seal of the Republic of the Philippines to be affixed.

Done in the City of Manila, this HH day of August, in the year of Our Lord, two thousand.

By the President:

to.36/

RONALDO B. ZAMORA **Executive Secretary**

PMS LIBRARY

Received

Date



